DO NOT COPY, CITE OR DISTRIBUTE WITHOUT PERMISSION OF ECOLAB.

DEMYSTIFYING SANITATION IN FOODSERVICE: NEW PROCEDURES AND APPROACHES

FOOD SAFETY WEBINAR SERIES SEPTEMBER 23, 2020







WELCOME TO FOOD SAFETY MONTH



Connection | Content | Community

- What is Restaurants Rise from Nation's Restaurant News?
 - Direct access to information, insights and solutions specific to the challenges the industry faces today.
 - Explore more at RestaurantsRise.com and join the community of more than 12,000 foodservice leaders.





ADVANCING FOOD SAFETY TOGETHER TO HELP RESTAURANTS RISE

- Food safety is a top concern even during the pandemic.
- Protect your brand and build a resilient business by ensuring a strong food safety culture at your restaurant.







FOOD SAFETY MONTH WEBINAR SERIES





Ensuring Customer and Employee Confidence During COVID-19

On Demand



Health Inspections: What You Need to Know Now and Then

On Demand





WE ARE ECOLAB

Ecolab is the global leader in water, hygiene and energy technologies and services

PROVIDING AND PROTECTING WHAT IS VITAL









Every day, we work to make the world cleaner, safer and healthier





Meet ECOLAB





Ed Snodgrass RD&E Program Leader

Ed leads a team of technical experts that provide guidance to Ecolab's largest global Institutional customers with a recent focus on product and procedure recommendations related to COVID-19. He has more than 15 years experience in Ecolab's RD&E function.





Kaycee Strewler, MS Sr. Technical Account Specialist

Kaycee provides technical expertise to global customers and has taken a primary role in consulting on product and procedure recommendations related to COVID-19. She has held various roles at Ecolab including in both Regulatory and RD&E.







which THREE of the following will be your top considerations when selecting a restaurant to visit AFTER the time of Coronavirus?

Restaurant is clean and sanitary	50%
Great taste	43%
Value	35%
Good service / friendly staff	33%
Convenient location	28%
Locally / independently owned	23%
Supporting restaurants that need help	22%
Health / healthy offerings	19%
Variety	17%
Restaurant puts effort into sustainability	11%
Speed	8%

76%

"a restaurant's cleanliness & food safety procedures will always matter more to me now than it did before."



YOU MIGHT BE WONDERING...

- 1. How can I minimize risk to my employees and keep them safe and focused?
- 2. How should I manage cleaning and disinfection in my establishment?
- 3. How can I disinfect larger areas efficiently?
- 4. Is food a risk for COVID-19 transmission, and what extra precautions should I take?







UNDERSTANDING RISK FACTORS

HOW NOVEL CORONAVIRUS ENTERS





HOW NOVEL CORONAVIRUS SPREADS



NOVEL CORONAVIRUS
IS SPREAD BY DROPLETS

MADE WHEN INFECTED PEOPLE COUGH, SNEEZE OR TALK 1



TOUCHING CONTAMINATED PEOPLE, OBJECTS OR SURFACES

THEN TOUCHING YOUR EYES, NOSE OR MOUTH





IMPLEMENT ENHANCED HYGIENE PROTOCOLS

TAKE ACTION



Public health recommendations focus on standard infection control practices, training and compliance.











PERSONAL HYGIENE

Wash hands frequently with soap and water. When soap and water aren't available, use an alcoholbased hand sanitizer.

Minimize close contact with people who have symptoms of respiratory illness.

Ensure proper use of personal protective equipment (PPE) where appropriate.



ENVIRONMENTAL HYGIENE

Clean and disinfect surfaces and high-touch objects with approved disinfectants.











PROMOTE INFECTION PREVENTION

Reduce the risk of transmission by





Consistently wearing a face mask/covering.




Washing your hands often and correctly.



Covering your mouth and nose when coughing or sneezing.



Avoiding close contact with potentially infected individuals.



Physically/socially distancing in common areas.



Thoroughly cleaning and disinfecting personal items.



Staying home while you are sick.



Contacting a doctor immediately in the event of symptoms.





FOCUS ON PERSONAL + ENVIRONMENTAL HYGIENE





PROMOTE PROPER HAND HYGIENE

HAND HYGIENE Hands are a primary mode of transmission so hygiene must be judiciously implemented.



WET

hands with clean running water, turn off the tap and apply soap.



LATHER

the back of hands. between fingers and under nails.



SCRUB

for at least 20 seconds.



RINSE

hands well under clean running water.



DRY

hands using a clean towel. If available, use a towel to turn off tap.



ALCOHOL

IF SOAP AND WATER ARE NOT AVAILABLE,

use an alcohol-based hand sanitizer.

- Use sufficient product to wet entire hand.
- Rub onto all surfaces of the hands for 30 seconds.
- Let air dry. DO NOT RINSE.

Washing Hands Wrong

66% Quick Serve

82% Full Serve





FREQUENCY AND TIMING OF HAND HYGIENE

When should I wash my hands?

- Before, during and after food preparation
- Before eating
- After blowing nose, coughing or sneezing
- After using the restroom
- After contact with animals or pets
- Before and after cleaning and disinfection

- After contact with high-touch surfaces in the restaurant
- After removing PPE
- Before and after providing routine care for a customer who needs assistance
- When they appear dirty








PROPER GLOVING

How to **DON (put on)** disposable gloves

How to **DOFF** (take off) disposable gloves









Wearing a Face Mask



REUSING THE MASK

Inspect the mask prior to every use. If there are any visible tears, the mask is dirty, or the mask is hard to breathe through, it should be discarded & replaced.

The barrier mask **should be stored between uses** in a clean brown paper bag.



PUTTING ON & TAKING OFF THE MASK

 Before putting on a mask, clean hands with soap and water or alcoholbased hand rub.

Inspect mask before putting it on. Make sure it is **free of dirt and grime**, and not damaged.

Cover mouth and nose with mask and make sure there are **no gaps between your face and the mask**. If the mask has a metal nose piece, use your fingers to press down & form it to your nose.

Avoid touching the mask while using it; if you do, clean your hands with soap and water.

To remove the mask: remove it from behind (do not touch the front of mask); if discarding the mask place in a closed bin; clean hands with alcohol-based hand rub or soap and water.












FOOD SAFETY REMAINS A CHALLENGE IN FOODSERVICE







Second most cited violation from food contact surfaces not being properly cleaned and sanitized*

Of foodborne illnesses originate in **commercial** foodservice facilities*

Of outbreaks are due to contaminated equipment and/or environment typically due to inadequate cleaning*

*Center for Disease Control, June 2014 Study





THE "NEW" NORMAL

Enhanced sanitation for your operation



As your partner in sanitation, Ecolab prides itself on establishing best practices for cleaning throughout your operation. Now more than ever, it is critical that employees understand and explicitly follow proper cleaning and disinfection procedures.

Consider:

- Selecting the proper solution(s) for the job (i.e., product, tool and application method)
- The importance of contact time to achieve disinfection
- Increasing frequency of cleaning and disinfection as infection risk, foot traffic and soil load increases
- Increased awareness of safety considerations (disposable PPE, etc.)

The following guidance reinforces the importance of the **5 Factors of Clean**, particularly **overall procedures**, to ensure you can return to operation quickly and with piece of mind that you've done everything you can to protect your employees and quests.







Differences between

CLEANING, SANITIZING AND DISINFECTING

Cleaning **REMOVES** SOIL from a surface but does not kill any organisms.

Sanitizing

REDUCES

the number of **BACTERIA** in the environment, significantly.



Disinfecting


DESTROYS

or irreversibly inactivates

BACTERIA AND VIRUSES*









ENSURE ENVIRONMENTAL HYGIENE

SANITIZING FOOD CONTACT SURFACES





Click here to learn more about SMARTPOWERTM Sink & Surface Cleaner Sanitizer.





ENSURE ENVIRONMENTAL HYGIENE

DISINFECTING NON-FOOD CONTACT SURFACES



Pre-clean visibly soiled areas by removing things such as food or dirt. For surfaces with no visible soil, no pre-cleaning is required.



DISINFECT

Use an EPA registered disinfectant approved for use against SARS-CoV-2 (the virus that causes COVID-19). Refer to the product label for directions for use.



Allow the surface to remain wet for the time indicated in the directions for use on the product label.



Wipe the surface or allow to air dry.



Contact your Ecolab Representative or refer to EPA's List N: Disinfectants for use against SARS-CoV-2 for approved products.





DETERMINE FREQUENCY OF CLEANING AND DISINFECTION

As infection risk, foot traffic or soil load increase, frequency of cleaning and disinfection should also increase.




Many variables should be considered when determining frequency of cleaning and disinfection in each area of your operation including:

- Infection Risk
- Foot Traffic
- Soil Load

Other considerations (including but not limited to):

- Product Type
- Soil Type
- Surface Type

Frequency should be determined at the unit level and re-evaluated as environmental variables change.







PRODUCT APPLICATION METHODS

Trigger Spraying



How it Works

Manual trigger pulls apply a fine to coarse spray and deliver product in directed manner

Benefits

- Cost effective
- Heavier spray for pre-cleaning when needed
- Adjustable nozzle for wider or more directed spray

Considerations

- Manual application
- May need to manually spread product to ensure even coverage
- May not be an efficient method for large areas

Pressure Spraying



Pressurized tank
allows for continuous
coarse spray to more
efficiently cover
surfaces

- Continuous spray
- Heavier spray for pre-cleaning when needed
- Coat larger areas more easily than with manual spray
- Intermittent manual or mechanical pressurization required
- May need to manually dry surfaces after contact time
- Overspray possible

Electrostatic Spraying



Powered continuous electrically charged spray ensures uniform and comprehensive coverage of surfaces

- Continuous spray
- Charged particles evenly coat surfaces
- Efficient application

- Specialized equipment
- May require a separate application method for precleaning
- Need to ensure enough application to allow proper contact time before drying
- Additional safety and procedural considerations







PRODUCT APPLICATION METHODS

		How it Works		Benefits		Considerations
NEW Sanitizer Bucket		Facilitates application with a cloth	•	Intuitive application method Visual confirmation of efficacy	•	Change product every 2-4 hours (when visibly soiled or out of spec) to ensure continued efficacy
Disposable Wipe System	Control of the contro	Allows product to be added to dry wipes	•	Allows for flexibility and convenience in cleaning procedures Reusable canisters reduce waste	•	Several wipes may be required to achieve sanitization or disinfection (i.e., to ensure wet contact time)
3-Compartment Sink		Facilitates wash-rinse- sanitize 3-step procedure	٠	Allows for sanitation of large prep equipment that may not fit in dishmachine	٠	Common procedural mistake is brief immersion in 3 rd compartment (sanitizer)





TABLEWARE

Disposable vs. reusable items

- Minimize items offered on tables and disinfect any that remain between guests (i.e., menus, condiments, etc.)
 OR offer single-use disposable items
- Wash reusable ware following standard wash-rinsesanitize procedure in either a dishmachine or 3compartment sink
- Handle clean ware minimally
- Remove table linens (i.e., napkins and tablecloths) after each guest to launder OR replace with single-use disposable items







CLEANING SOFT (POROUS) SURFACES



For soft-surfaces such as table linens, upholstered furniture, carpeted floors, rugs, drapes, etc.



Remove visible contamination (if present) and clean the surface using soap and water or with cleaners appropriate for use on these surfaces.* Ensure products are spot-tested in an inconspicuous location before application.



Launder items (if possible) according to the manufacturer's instructions. Ensure items are dried completely.



Vacuum as usual.



*Refer to product label for use directions





RESTORE TRUST WITH YOUR CUSTOMERS

Make Hygiene Visible

- Demonstrate you are taking a proactive and heightened approach to sanitation
- Focus on high-touch surfaces
- Communicate standards
- Display hygiene procedures

INVISIBLE I



VISIBLE







COVID-19 RESPONSE AND RECOVERY RESOURCES

Robust resources to help reopen and recover across the foodservice industry. Access these resources and more at: www.ecolab.com/coronavirus



PREPARE ENVIRONMENTS

Reopening Checklists



On-Demand Webinars



EcoSure Assessments





ENABLE STAFF

Enhanced Cleaning Procedures



Product Innovation, Promotions & Support



Lobster Ink Rebound Program & Quick Start Guides





ASSURE CUSTOMERS

Window Clings & Signage



Flyers







FOOD SAFETY AND PUBLIC HEALTH RESOURCES

FOOD SAFETY AND PUBLIC HEALTH MATTERS WEBINARS



Quarterly and On-Demand Webinars

Food Safety and Public Health Matters webinar series informs and educates food service professionals on Food Safety and Public Health topics.

FOOD SAFETY RESOURCE LIBRARY





Food Safety Articles and Tips

Food Safety Readiness Kits



Access these Food Safety Resources and more on **Ecolab.com**











JOIN US FOOD SAFETY MONTH WEBINAR SERIES



Food and Dining: The Future State

SEPT 30 @ 2:00 PM EST



Lisa R. Robinson

Vice President, Global Food
Safety & Public Health
Ecolab

Panelists

Bessie Politis
Starbucks

Doug Davis

Marriott

Dan Goldberg BJ's Restaurants



Ensuring Customer and Employee Confidence During COVID-19

View On-Demand



Health Inspections: What You Need to Knov Now and Then



View On-Demand



